

Publications (Include the title, publication, and publication date):

1. Sunagawa G, Kehara H, Mangukia C, Brann S, Leotta E, Yanagida R, Minakata K, Shenoy K, Mamary A, Marchetti N, Cordova F, Criner G, Toyoda Y, Shigemura N. Single lung transplant remains a viable option for patients with severe secondary pulmonary hypertension. *Transplantation* 2022 (in press).
2. Lemaire A, Kennedy R, Ikegami H, Takebe M, Sunagawa G, Russo MJ, Lee L. Migrating foreign body in the heart. *Cureus*. 2022 May 24;14(5):e25294
3. Mangukia C, Sunagawa G, Brann S, Hamad E, Toyoda Y. Modified technique for left ventricular assist device insertion in the setting of apical calcification. *JTCVS Tech*. 2021 Apr 13;8:90-92.
4. Levy J, Kashem A, Sunagawa G, Zhao H, Minakata K, Keshavamurthy S, Brann S, Leotta E, Shigemura N, Toyoda Y. Post-operative bronchial complications following lung transplantation related to anastomosis suture. *Ann Thorac Surg*. 2021 Aug 3:S0003-4975(21)01314-X.
5. Mutyala S, Kashem MA, Kanaparthi J, Sunagawa G, Suryapalam M, Leotta E, Minakata K, Brann S, Shigemura N, Toyoda Y. Comparing outcomes in patients with end-stage chronic obstructive pulmonary disease: single versus bilateral lung transplants. *Interact Cardiovasc Thorac Surg*. 2021 Jun 25:ivab169.
6. Van Der Rijst N, Mangukia C, Muhammad N, Sunagawa G, Brann S, Toyoda Y. Determination of cardiovascular dysfunction before initiation of extracorporeal membrane oxygenation in septic shock. *Indian J Thorac Cardiovasc Surg*. 2021 Jan 26:1-4.
7. Mangukia C, Brann S, Patel S, Jaffe F, Stewart J, Sunagawa G, Toyoda Y. Veno-aeterial extracorporeal membrane oxygenation as a bridge to cytolytic therapy. *Indian J Thorac Cardiovasc Surg*. 2020 Jul 21;36(6):1-3.
8. Okamoto T, Niikawa H, Wheeler D, Ayyat KS, Basem S, Itoda Y, Sunagawa G, Farver CF, McCurry KR. Selective Recruitment of Large Lower Lobe Atelectasis on Donor Back Table in Rejected Donor Lungs. *Transplant direct*. 2019 Apr 25;5(5):e453
9. Karimov JH, Mihaljevic T, Gao S, Sunagawa G, Grady P, Sinkewich M, Fukamachi K. New Cardioscope-Based Platform for Minimally Invasive and Percutaneous Beating Heart Interventions. *Semin Thorac Cardiovasc Surg*. 2019 Summer;31(2):209-215
10. Horvath DJ, Karimov JH, Byram NA, Kuban BD, Sunagawa G, Moazami N, Fukamachi K. Advantages of integrating pressure-regulating devices into mechanical circulatory support pumps. *ASAIO J*. 2019 Jan;65(1):e1-e3.
11. Karimov JH, Horvath DJ, Byram NA, Sunagawa G, Kuban BD, Gao S, Dessoffy R, Fukamachi K. Early in vivo experience with the pediatric continuous-flow total artificial heart. *J Heart Lung Transplant*. 2018 Aug;37(8):1029-1034.

12. Fukamachi K, Karimov JH, Byram NA, Sunagawa G, Dessoify R, Miyamoto T, Horvath DJ. Anatomical study of the Cleveland clinic continuous-flow total artificial heart in adult and pediatric configurations. *J Artif Organs*. 2018 Sep;21(3):383-386.
13. Sunagawa G, Karimov JH, Breitbach MM, Fukamachi K. Reply to Rescigno et al. *Eur J Cardiothorac Surg*. 2018 Jul;54:197-198.
14. Fukamachi K, Karimov JH, Horvath DJ, Sunagawa G, Byram NA, Kuban BD, Moazami N. Initial in vitro testing of a pediatric continuous-flow total artificial heart. *Interact Cardiovasc Thorac Surg*. 2018 Jun;26:897-901.
15. Sunagawa G, Karimov JH, Dessoify R, Byram N, Grady P, Sinkewich M, Naber JP, Vincent D, Okano S, Stewart RD, Sale SM, Moazami N, Fukamachi K. New technology mimics physiologic pulsatile flow during cardiopulmonary bypass. *Artif Organs*. 2018 Feb;42:231-235.
16. Karimov JH, Gao S, Dessoify R, Sunagawa G, Sinkewich M, Grady P, Sale S, Moazami N, Fukamachi K. Novel technique for airless connection of artificial heart to vascular conduits. *J Artif Organs*. 2017 Dec;20:386-389.
17. Sunagawa G, Karimov JH, Breitbach M, Robinson NA, Fukamachi K. Impact of a refined advanced design for left atrial appendage exclusion. *Eur J Cardiothorac Surg*. 2017 Dec;52:1098-1103.
18. Fukamachi K, Karimov JH, Sunagawa G, Horvath DJ, Byram N, Kuban BD, Dessoify R, Sale S, Golding LA, Moazami N. Generating pulsatility by pump speed modulation with continuous-flow total artificial heart in awake calves. *J Artif Organs*. 2017 Dec;20:381-385.
19. Sunagawa G, Koprivanac M, Karimov JH, Moazami N, Fukamachi K. Current status of mechanical circulatory support for treatment of advanced end-stage heart failure: successes, shortcomings and needs. *Expert Rev Cardiovasc Ther*. 2017 May;15:377-387
20. Karimov JH, Grady P, Sinkewich M, Sunagawa G, Dessoify R, Byram N, Moazami N, Fukamachi K. Moderate hypothermia technique for chronic implantation of a total artificial heart in calves. *J Artif Organs*. 2017 Jun;20:182-185.
21. Karimov JH, Zhen-Yu Tong M, Byram N, Sunagawa G, Dessoify R, Moazami N, Starling RC, Fukamachi K. The axial continuous-flow blood pump: Bench evaluation of changes in flow associated with changes of inflow cannula angle. *J Heart Lung Transplant*. 2017 Jan;36:106-112.
22. Sunagawa G, Koprivanac M, Karimov JH, Moazami N, Fukamachi K. Is a Pulse Absolutely Necessary During Cardiopulmonary Bypass? *Expert Rev Med Devices*. 2017 Jan;14:27-35.
23. Karimov JH, Horvath DJ, Okano S, Doodin M, Sunagawa G, Byram N, Moazami N, Golding LA, Fukamachi K. Thrombotic Depositions on Right Impeller of Double-Ended Centrifugal Total Artificial Heart In Vivo. *Artif Organs*. 2017 May;41:476-481.

24. Karimov JH, Horvath DJ, Byram N, Sunagawa G, Grady P, Sinkewich M, Moazami N, Sale S, Golding LA, Fukamachi K. Deairing Techniques for Double-Ended Centrifugal Total Artificial Heart Implantation. *Artif Organs*. 2017 Jun;41:568-572.
25. Fukamachi K, Horvath DJ, Byram N, Sunagawa G, Karimov JH, Moazami N. Advanced ventricular assist device with pulse augmentation and automatic regurgitant-flow shut-off. *J Heart Lung Transplant*. 2016 Dec;35:1519-1521.
26. Horvath D, Byram N, Karimov JH, Kuban B, Sunagawa G, Golding LA, Moazami N, Fukamachi K. Mechanism of Self-Regulation and In Vivo Performance of the Cleveland Clinic Continuous-Flow Total Artificial Heart. *Artif Organs*. 2017 May;41:411-417.
27. Karimov JH, Sunagawa G, Horvath D, Fukamachi K, Starling RC, Moazami N. Limitations to Chronic Right Ventricular Assist Device Support. *Ann Thorac Surg*. 2016 Aug; 102(2):651-8.
28. Sunagawa G, Byram N, Karimov JH, Horvath DJ, Moazami N, Starling RC, Fukamachi K. The contribution to hemodynamics even at very low pump speeds in the HVAD. *Ann Thorac Surg*. 2016 Jun; 101(6):2260-4.
29. Sunagawa G, Horvath DJ, Karimov JH, Moazami N, Fukamachi K. Future prospects for the total artificial heart. *Expert Rev Med Devices*. 2016 Feb; 13(2):191-201.
30. Karimov JH, Moazami N, Sunagawa G, Kobayashi M, Byram N, Sale S, Such KA, Horvath DJ, Golding LA, Fukamachi K. Median sternotomy or right thoracotomy techniques for total artificial heart implantation in calves. *Artif Organs*. 2015 Dec 18.
31. Karimov JH, Sunagawa G, Such KA, Sale S, Golding LA, Moazami N, Fukamachi K. Anatomy of the bovine ascending aorta and brachiocephalic artery found unfavorable for total artificial heart implant. *J Artif Organs*. 2015 Dec;18(4):358-60.
32. Karimov JH, Horvath D, Sunagawa G, Byram N, Moazami N, Golding LA, Fukamachi K. Post-explant visualization of thrombi in outflow grafts and their junction to a continuous-flow total artificial heart using a high-definition miniaturized camera. *J Artif Organs*. 2015 Dec;18(4):354-7.
33. Karimov JH, Moazami N, Kobayashi M, Sale S, Such K, Byram N, Sunagawa G, Horvath D, Gao S, Kuban B, Golding LA, Fukamachi K. First report of 90-day support of 2 calves with a continuous-flow total artificial heart. *J Thorac Cardiovasc Surg*. 2015 Sep;150(3):687-93.
34. Karimov JH, Sunagawa G, Golding LA, Moazami N, Fukamachi K. Double-wire sternal closure technique animal models for total artificial heart implant. *Int J Artif Organs*. 2015 Aug;38(8):465-7.
35. Sunagawa G, Byram N, Karimov JH, Horvath DJ, Moazami N, Starling RC, Fukamachi K. In vitro hemodynamic characterization of HeartMate II at 6000 rpm: implications for weaning and recovery. *J Thorac Cardiovasc Surg*. 2015 Aug;150(2):343-8.
36. Karimov JH, Steffen RJ, Byram N, Sunagawa G, Horvath D, Cruz V, Golding LA, Fukamachi

- K, Moazami N. Human fitting studies of Cleveland Clinic Continuous-flow total artificial heart. *ASAIO J.* 2015 Jul-Aug;61(4):428-8.
37. Takeda K, Masai T, Ishida M, Sunagawa G. Unusual presentation of multiple recurrent cardiac sarcomas as acute acalculous cholecystitis caused by rapid expansion into the right cardiac chamber: report of a case. *Surg Today.* 2012 May;42(5):479-81.
 38. Saito T, Masai T, Takeda K, Sunagawa G, Sawa Y. A case of successful valve repair for aortic insufficiency associated with discrete subaortic stenosis. *Ann Thorac Cardiovasc Surg.* 2011;17(5):521-3.
 39. Sunagawa G, Masai T, Takeda K, Ishida M, Yamauchi T, Sawa Y, et al. Successful bridge to recovery in a patient surviving fatal device-related complications after implantation of Toyobo left ventricular assist device. *J Artif Organs.* 2011 Dec;14(4):364-6.
 40. Murashita T, Komiya T, Tamura N, Sakaguchi G, Kobayashi T, Sunagawa G. The clinical challenge to reduce the postoperative residual shunt in surgical repair of postinfarction ventricular septal perforation. *Interact Cardiovasc Thorac Surg.* 2010 Jul;11(1):38-41.
 41. Sunagawa G, Komiya T, Tamura N, Sakaguchi G, Kobayashi T, Murashita T. Coronary artery bypass surgery is superior to percutaneous coronary intervention with drug-eluting stents for patients with chronic renal failure on hemodialysis. *Ann Thorac Surg.* 2010 Jun;89(6):1896-900.
 42. Kobayashi T, Komiya T, Tamura N, Sakaguchi G, Sunagawa G, Murashita T, Watadani K, Kanno K, Hayashi S, Watanabe S. Long-term result of the maze procedure for atrial fibrillation. (in Japanese) *Kyobu Geka.* 2010 Apr; 63(4): 271-5.
 43. Nakamura H, Komiya T, Sunagawa G, et al. Therapeutic strategy of abdominal aortic aneurysm associated with coronary artery disease in the era of drug-eluting stent. (in Japanese) *J Jpn Coron Assoc* 15(3), 206-210, 2009-10-25.
 44. Murashita T, Komiya T, Sunagawa G, et al. Preoperative evaluation of patients with liver cirrhosis undergoing open heart surgery. *Gen Thorac Cardiovasc Surg.* 2009 Jun;57(6):293-7.
 45. Furukawa T, Komiya T, Sunagawa G, et al. A case of infective endocarditis with incarcerated vegetation in mitral orifice. (in Japanese) *Jpn. J. Cardiovasc. Surg.* 38(1), 31-34, 2009-01-15.
 46. Furukawa T, Komiya T, Sunagawa G, et al. A case of aortic valve plasty for non-coronary cusp fracture after infective endocarditis. (in Japanese). *Jpn. J. Cardiovasc. Surg.* 38(1), 35-39, 2009-01-15.
 47. Nakamura H, Komiya T, Sunagawa G, et al. Two cases of false aneurysm rupture induced by nonvascular tumor. (in Japanese) *Jpn. J. Cardiovasc. Surg.* 37(1), 56-59, 2008-01-15.
 48. Tamura N, Komiya T, Sunagawa G, et al. Surgical removal of an entrapped balloon

catheter from LMT orifice. (in Japanese) J Jpn Coron Assoc 13(3), 214-216, 2007-10-25.