
New Jersey's

Early Intervention System

Your Child's Development Important Milestones: (Birth - 36 months)



Regional Early Intervention Collaborative—REIC

(888) 653-4463 www.njreic.org

http://nj.gov/health/fhs/eis

What will an Early Intervention evaluation tell me about my child?

During an evaluation, the early intervention team will gather information about your child to answer specific questions about your child's development. An early intervention evaluation will give you & the early intervention team information about your child's development & help decide if there is a need for ongoing early intervention services.

The early intervention evaluation will look at gross motor skills, fine motor skills, communication, speech, language, sensory, social & emotional development, cognitive, adaptive, & self-help skills.

Who is eligible for early intervention services?

In New Jersey, infants & toddlers are eligible for early intervention services if they are under 3 years of age. The child must demonstrate delays of at least:

2.0 standard deviation below the mean in one developmental area OR
1.5 standard deviation below the mean in two or more of the development areas OR
Medically diagnosed physical or mental condition that typically results in developmental delay (for example, Down Syndrome Autism Cerebral Palsy, etc.)

WE'RE HERE TO HELP

Regional Early Intervention Collaboratives (REIC) are a partnership of families & early intervention providers working together to ensure high quality early intervention services for children with special needs (ages 0-3) and their families living in New Jersey.

The REIC work to assure access to & availability of individualized early intervention services & assists families as they work to meet their children's needs in their home & community.

"Through our sameness we connect, through our differences, we grow."

--Virginia Satir, World Renowned Family Therapist

If your child should be crawling, walking or talking, but isn't, call for information about resources and services for your child under age 3.

Statewide, toll-free (888) 653-4463

The Regional Early Intervention Collaboratives (REICs) are funded by the New Jersey Department of Health, Early Intervention System with funds from Part C of the Individuals with Disabilities Education Act (IDEA).

7/22/14

Babies develop at their own pace, so it's impossible to tell exactly	Does not pay attention to new faces, or seems frightened by	☐ Does not laugh or make squealing sounds by 6 months	Hand and Finger Skills Uses pincer grasp
when your child will learn a given skill. The developmental	new faces or surroundings	☐ Does not actively reach for objects by 6 to 7 months	
milestones listed below will give you a general idea of the changes	Experiences a dramatic loss of skills he or she once had	Does not follow objects with both eyes at near (1 foot) and far	Bangs two objects together
you can expect, but don't be alarmed if your own baby's		(6 feet) ranges by 7 months	Puts objects into container
development takes a slightly different course.	(4 Months—8 Months)	☐ Does not bear weight on legs by 7 months	☐ Takes objects out of container
(m: 1) 4 M - 1/2 - 1	Social and Emotional	☐ Does not try to attract attention through actions by 7 months	Lets objects go voluntarily
(Birth—4 Months)		☐ Does not babble by 8 months	Pokes with index finger
Social and Emotional	100	☐ Shows no interest in games of peek-a-boo by 8 months	☐ Tries to imitate scribbling
Begins to develop a social smile		Experiences a dramatic loss of skills he or she once had	- I III-lik Watah
☐ Enjoys playing with other people and may cry when playing	Responds to other people's expressions of emotion & appears		Developmental Health Watch
stops	joyful often	(8 Months—12 Months)	Alert your child's doctor or nurse if your child displays any of the
Becomes more expressive and communicates more with face	Cognitive		following signs of possible developmental delay for this age range.
and body	Finds partially hidden object	Social and Emotional	☐ Does not crawl
☐ Imitates some movements and facial expressions	☐ Explores with hands and mouth	Shy or anxious with strangers	Drags one side of body while crawling (for over one month)
	☐ Struggles to get objects that are out of reach	Cries when mother or father leaves	Cannot stand when supported
Movement		☐ Enjoys imitating people in his play	
Raises head and chest when lying on stomach	Language	☐ Shows specific preferences for certain people and toys	Does not search for objects that are hidden while he or she
Supports upper body with arms when lying on stomach	Responds to own name	☐ Tests parental responses to his actions during feedings	watches Says no single words ("mama" or "dada")
☐ Stretches legs out and kicks when lying on stomach or back	Begins to respond to "no"	☐ Tests parental responses to his behavior	
Opens and shuts hands	Can tell emotions by tone of voice	☐ May be fearful in some situations	Does not learn to use gestures, such as waving or shaking
☐ Pushes down on legs when feet are placed on a firm surface	Responds to sound by making sounds	☐ Prefers mother and/or regular caregiver over all others	head
☐ Brings hand to mouth	☐ Uses voice to express joy and displeasure	Repeats sounds or gestures for attention	Does not point to objects or pictures
☐ Takes swipes at dangling objects with hands	☐ Babbles chains of sounds	☐ Finger-feeds himself	Experiences a dramatic loss of skills he or she once had
Grasps and shakes hand toys		Extends arm or leg to help when being dressed	Children develop at their own pace, so it's impossible to tell exactly
	Movement	Extends ann or leg to help when being dressed	when yours will learn a given skill. The developmental milestones
Vision	Rolls both ways (front to back, back to front)	Cognitive	below will give you a general idea of the changes you can expect
☐ Watches faces intently	Sits with, and then without, support on hands	Explores objects in many different ways (shaking, banging,	as your child gets older, but don't be alarmed if your child takes a
☐ Follows moving objects	Supports whole weight on legs	throwing, dropping)	slightly different course.
Recognizes familiar objects and people at a distance	Reaches with one hand	Finds hidden objects easily	
☐ Starts using hands and eyes in coordination	Transfers object from hand to hand	Looks at correct picture when the image is named	(12 Months—24 Months)
	☐ Uses hand to rake objects	☐ Imitates gestures	
Hearing and Speech	No. 1	☐ Begins to use objects correctly (drinking from cup, brushing	Social
Smiles at the sound of your voice	Vision ☐ Develops full color vision	hair, dialing phone, listening to receiver)	☐ Imitates behaviors of others, especially adults and older
Begins to babble	The state of the s	I amount of the second of the	children
Begins to imitate some sounds	Distance vision matures	Language Pays increasing attention to speech	☐ More aware of herself as separate from others
☐ Turns head toward direction of sound	Ability to track moving objects improves		☐ More excited about company of other children
Developmental Health Watch	Developmental Health Watch	Responds to simple verbal requests	
		Responds to "no"	Emotional
Alert your child's doctor or nurse if your child displays any of the	Alert your child's doctor or nurse if your child displays any of the following signs of possible developmental delay for this age range.	Uses simple gestures, such as shaking head for "no"	Demonstrates increasing independence
following signs of possible developmental delay for this age range.		Babbles with inflection (changes in tone)	☐ Begins to show defiant behavior
☐ Does not seem to respond to loud noises	☐ Seems very stiff, with tight muscles	Says "dada" and "mama"	☐ Separation anxiety increases toward midyear then fades
Does not notice hands by 2 months	Seems very floppy, like a rag doll	Uses exclamations, such as "Oh-oh!"	
Does not follow moving objects with eyes by 2 to 3 months	Head still flops back when body is pulled into sitting position	☐ Tries to imitate words	Cognitive
Does not grasp and hold objects by 3 months	Reaches with one hand only		Finds objects even when hidden under two or three covers
	☐ Refuses to cuddle	Movement	☐ Begins to sort by shapes and colors
Does not smile at people by 3 months	☐ Shows no affection for the person who cares for him or her	Reaches sitting position without assistance	☐ Begins make-believe play
Cannot support head well by 3 months	Doesn't seem to enjoy being around people	Crawls forward on belly	
Does not reach for and grasp toys by 3 to 4 months	One or both eyes consistently turn in or out	Assumes hands-and-knees position	Language
Does not babble by 3 to 4 months	Persistent tearing, eye drainage or sensitivity to light	☐ Creeps on hands and knees	Points to object or picture when it's named for him
☐ Does not bring objects to mouth by 4 months		Gets from sitting to crawling or prone (lying on stomach)	Recognizes names of familiar people, objects and body parts
☐ Begins babbling, but does not try to imitate any of your sounds	Does not respond to sounds around him or her	position	Says several single words (by 15 to 18 months)
by 4 months	Has difficulty getting objects to mouth	Pulls self up to stand	☐ Uses simple phrases (by 18 to 24 months)
Does not push down with legs when feet are placed on a firm	Does not turn head to locate sounds by 4 months	☐ Walks holding on to furniture	☐ Uses 2 to 4 word sentences
surface by four months	Does not roll over in either direction (front to back or back to	☐ Stands momentarily without support	☐ Follows simple instructions
Has trouble moving one or both eyes in all directions	front) by 5 months	☐ May walk two or three steps without support	Repeats words overheard in conversation
☐ Crosses eyes most of the time (occasional crossing of the eyes	Seems impossible to comfort at night after 5 months		
is normal in these first months)	Does not smile on his or her own by 5 months		(Continued on Back)
	☐ Cannot sit up with help by 6 months		(continued on sacri)

Movement Walks alone Pulls toys behind her while walking Carries large toy or several toys while walking Begins to run Stands on tiptoe Kicks a ball Climbs onto and down from furniture unassisted Walks up and down stairs holding on to support Hand and finger skills	Language Follow Recog picture Under Uses Can se Uses p
Scribbles on his or her own Turns over container to pour out contents Builds tower of four blocks or more Might use one hand more often than the other	Movemen Clim Walk
Developmental Health Watch Alert your child's doctor or nurse if your child displays any of the following signs of possible developmental delay for this age range. Cannot walk by 18 months	Kicks Runs Peda Bend
Fails to develop a mature heel-toe walking pattern after several months of walking, or walks only on his toes Does not speak at least 15 words Does not use two-word sentences by age 2 By 15 months, does not seem to know the function of common household objects (brush, telephone, bell, fork, spoon) Does not imitate actions or words by the end of this period Does not follow simple instructions by age 2 Cannot push a wheeled toy by age 2 Experiences a dramatic loss of skills he or she once had (24 Months—36 Months) Social I mitates adults and playmates Spontaneously shows affection for familiar playmates Can take turns in games Understands concept of "mine" and "his/hers"	Hand and pend pend pend pend pend pend pend pe
Emotional Expresses affection openly Expresses a wide range of emotions By 3, separates easily from parents Objects to major changes in routine	Canr Canr No ir Does Little Extre
Cognitive Makes mechanical toys work Matches an object in her hand or room to picture in a book Plays make-believe with dolls, animals, and people Sorts objects by shape and color Completes puzzles with three or four pieces Understands concept of "two"	☐ Limit
	From CAR 5 by Steve Bantam Bo American American

	guage	
	Follows a two-or three-part command	
	Recognizes and identifies almost all common objects and pictures	
	Understands most sentences	
	Understands placement in space ("on", "in", "under")	
	Uses 4 to 5 word sentences	
	Can say name, age, sex	
	Uses pronouns (I, you, me, we, they) and some plurals (cars,	
	dogs, cats)	
	Strangers can understand most of his or her words	
Mo	vement	
	Climbs well	
	Walks up and down stairs, alternating feet (one foot per stair	
	step)	
	Kicks ball	
	Runs easily	
	Pedals tricycle	
	Bends over easily without falling	
Har	nd and Finger Skills	
	Makes up-and-down, side-to-side, and circular lines with pencil or crayon	
	Turns book pages one at a time	
	Builds tower of more than six blocks	
	Holds pencil in writing position	
	Screws and unscrews jar lids, nuts, and bolts	
	Turns rotating handles	
De	velopmental Health Watch	
	t your child's doctor or nurse if your child displays any of the owing signs of possible developmental delay for this age range.	
	Frequent falling and difficulty with stairs	
	Persistent drooling or very unclear speech	
	Cannot build a tower of more than four blocks	
	Difficulty manipulating small objects	
	Cannot copy a circle by age 3	
	Cannot communicate in short phrases	
	No involvement in "pretend" play	
	Does not understand simple instructions	
	Little interest in other children	
	Extreme difficulty separating from mother or primary caregiver	
	Poor eye contact	
	Limited interest in toys	
	Experiences a dramatic loss in skill he or she once had	
	Experience a distribute room in shift the or sine criter ridd	
From CARING FOR YOUR BABY AND YOUNG CHILD: BIRTH TO AGE 5 by Steven Shelov, M.D. and Robert E. Hannermann, published by Bantam Books, a division of Robert Bantam Books, and The		

American Academy of Pediatrics. The appearance of the name American Academy of Pediatrics does not imply endorsement of any product or service.